The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-23474

Stream : Wildcat Creek

Applicant : *Division of Fish & Wildlife

Gregg McCollam

402 West Washington Street IGC-South, Room W273 Indianapolis, IN 46204-2781

Description : A 15' wide x 30' long gravel ramp will be constructed along the right bank of the

stream. A small turnaround area will be constructed at the landward end of the ramp. Also, a 12' wide gravel access road will be constructed to cionnect Arvin drive to the boat ramp. Additionally, two 24' diameter culverts will be placed under the access road for drainage. Details of the project are contained in information

and plans received at the Division of Water on August 3, 2005.

Location : Immediately west of the intersection of Arvin Drive and State Road 29 extending

900' south to the stream

near Burlington, Burlington Township, Carroll County

NE¼, NE¼, Section 34, T 24N, R 1E, Burlington Quadrangle

Quad Code: 4008644

UTM Coordinates: Downstream 4481760 North, 551231 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23475

Stream : Lick Creek

Applicant : James A Wolfe

5053 E US Highway 150 Paoli, IN 47454-9493

Description : A (partially completed) new culvert crossing will be placed in Lick Creek to carry a

12" access road across the creek. The new crossing will consist of (3) 3' x 20' galvanized pipes. The road will consist of a 6" thick layer of rip-rap, No. 2 rock, and 4" of concrete. Details of the project are contained in information and plans

received at the Division of Water on August 2, 2005 and August 8, 2005.

Location : Approximately 3960' upstream (southeast) of the Belle Ford Road stream

crossing

DOWNSTREAM: near Paoli, Paoli Township, Orange County

NW1/4, SW1/4, Section 8, T 1N, R 1E, Paoli Quadrangle

Quad Code: 3808654

UTM Coordinates: Downstream 4266450 North, 549125 East

UPSTREAM: Orange County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-23480

Stream : Prairie Ditch

Applicant : George Pope Sr.

109 North Huntington Peru, IN 46970-2318

Description : A 30' x 78' pole barn will be constructed on fill. Details of the project are contained

in information and plans received at the Division of Water on August 4, 2005.

Location : 140 Hay Street, approximately 2000' east and 100' south of the Broadway Street

stream crossing extending 400' east and 400' south

near Peru, Peru Township, Miami County

NW1/4, NW1/4, SW1/4, Section 22, T 27N, R 4E, Peru Quadrangle

Quad Code: 4008671

UTM Coordinates: Downstream 4481756 North, 551240 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23481

Stream : St. Joseph River

Applicant : L.L Geans Corporation

Robert L Geans Sr. 1923 Home Street

Mishawaka, IN 46545-7287

Description : A steel sheet piling seawall will be constructed across75' of the river bank. The

new wall will be approximately 4' high, as measured from the riverbed. Clean fill will be brought onsite to backfill the area landward of the new seawall. The fill will be leveled and topped with a 4" layer of concrete. Details of the project are

contained in information and plans received at the Division of Water on August 4,

2005.

Location : 11969 Riverview Boulevard, approximately 3000' upstream (east) of the

Bittersweet Bridge and extending 75' east

near Osceola, Penn Township, St. Joseph County

SW1/4, SW1/4, NW1/4, Section 8, T 37N, R 4E, Osceola Quadrangle

Quad Code: 4108661

UTM Coordinates: Downstream 4613821 North, 575007 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23482

Stream : McCracken Creek

Applicant : C.P. Morgan Communities, L.P.

Craig Aylworth

4670 Haven Point Boulevard Indianapolis, IN 46280-2747

Description

: A new residential development, Homestead, Section 1, proposes the following work within the floodway of McCracken Creek: 1. A sixteen (16) inch water line polybore for main extension.

- 2. A twelve (12) inch RCP (reinforced concrete pipe) drainage outlet pipe with nine (9) square yards of rip-rap at the end section for energy dissipation.
- 3. An eighteen (18) inch RCP drainage outlet pipe with eighteen (18) square yards of rip-rap at the end section for energy dissipation
- 4. A four (4) inch underdrain outlet with one (1) square yard of rip-rap at the end for energy dissipation for sub-surface drainage only. (Not regular conveyance of stormwater runoff).
- 5. An eight (8) foot wide asphalt multi-use path at grade approximately 830' total length.
- 6. A portion of a basketball court and goal at grade.
- 7. A portion of a big wheel course at grade.
- 8. A portion of a playground at grade.

Details of the project are contained in information received electronically at the Division of Water on August 5, 2005.

Location

: Along the south bank of McCracken Creek, approximately 2,250' south of Morgan/Hendricks County Line & 600' west of S.R. 39 & continuing west

approximately 720' +/- along creek

near Monrovia, Monroe Township, Morgan County Section 1, T 13N, R 1W, Mooresville West Quadrangle

Quad Code: 3908654

Statute/Rule

: Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : LM-148

Lake : Lake Michigan

Applicant : U.S. Army Corps of Engineers, Chicago District

Richard Saichek

111 North Canal Street, Suite 600

Chicago, IL 60606-7206

Description : Approximately 100,000 - 400,000 cubic yards of sand will be dredged annually at

the Bailly Generating Station. The dredging will be performed using mechanical and/or hydraulic dredging equipment. The dredged material (sand) will be placed

along the Lake Michigan Shoreline at two different locations as beach

nourishment. The excavated sand will be placed on one or both of the disposal locations during each dredging event. The placement of the sand will be primarily

at the eastern end of the disposal area to take into account the east to west littoral drift and to prolong beach nourishment. The sand will be placed up to a maximum height of 8' above the Ordinary High Water Mark of 581.5', IGLD 1985.

Details of the project are contained in information received at the Division of

Water on August 4, 2005.

Location : Approximately 1 mile east of the most northely point of the Burns Waterway

Harbor breakwater, and the disposal location is along the Lake Michigan shoreline adjacent to the Town of Ogden Dunes and adjacent to the Indiana Dunes National Lakeshore Property that is west of the Burns Small Boat Harbor

near Dune Acres, Westchester Township, Porter County

SW¼, SW¼, SW¼, Section 21, T 37N, R 6W, Dune Acres Quadrangle

Quad Code: 4108761

UTM Coordinates: Downstream 4610244 North, 489744 East

Statute/Rule : Navigable Waterway Act, with the associated IC 14-29-1, Navigable Waterway

Application # : PL-20206

Lake : Syracuse Lake

Applicant : Logan Rogers Reality

William Wharton 408 South Huntington

PO Box 93

Syracuse, IN 46567-1805

Description : Submerged tree stumps will be removed from the lake bottom. Details of the

project are contained in information and plans received at the Division of Water

on August 1, 2005.

Location : Lakeward of Lots 90 and 92 at the southwest corner of Eastshore Island

near Syracuse, Turkey Creek Township, Kosciusko County

Section 4, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

UTM Coordinates: Downstream 4586370 North, 606315 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20208

Lake : Pine Lake

Applicant : Betty L Kneller Sprecher

115 Nilewood Drive LaPorte, IN 46350-2816

Description : An approximate 85' long deteriorating railroad tie seawall will be replaced with a

concrete seawall. Details of the project are contained in information and plans

received at the Division of Water on August 04, 2005.

Location : 113 Nilewood Drive

near LaPorte, Center Township, LaPorte County

NE¼, NE¼, SE¼, Section 28, T 37N, R 3W, Michigan City East Quadrangle

Quad Code: 4108667

UTM Coordinates: Downstream 4608212 North, 520108 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20209

Lake : Tippecanoe Lake

Applicant : John Hoy

Phil Hoy

20 EMS T-30 A Lane Leesburg, IN 46538-9130

Description : A concrete seawall will be refaced with a layer of concrete across 144' of the

applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on August 4, 2005.

Location : 20 EMS T-30 A Lane; Lot 68 Bellrohr Park, 8th Addition

near Leesburg, Plain Township, Kosciusko County

SE14, NE14, SE14, Section 11, T 33N, R 6E, Leesburg Quadrangle

Quad Code: 4108537

UTM Coordinates: Downstream 4575573 North, 601644 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20210

Lake : Lake James

Applicant : Dockside The Coast, LLC

Michael S Leckner

3333 North Wayne Street Angola, IN 46703-7310

Description : Three (3) temporary group piers will be placed in front of the applicant's

properties to provided access and mooring facilities. The aluminum piers are 4'

wide and two will extend into the lake 175' and the third will extend 165'.

They will be supported by 3.5" auger poles, which will be placed in the lakebed using hand held tools. Details of the project are contained in information and

plans received at the Division of Water on August 4, 2005.

Location : On the north side of Whisper Bay Condominiums, Lake James Lower Basin at

Feick's Point

near Lake James, Pleasant Township, Steuben County SE¼, Section 4, T 37N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4616745 North, 663870 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20211

Lake : Lake James

Applicant : Whisper Bay Condominium

Scott Renier, President

320 Lane 325 Lake James I-5 Angola, IN 46703-7019

Description : A temporary group pier will be placed in front of the applicant's property to

provided access and mooring facilities. The pier is 4' wide and will extend into the lake 260'. It will be supported by 3.5" auger poles, which will be placed in the lakebed using hand held tools. Details of the project are contained in information

and plans received at the Division of Water on August 4, 2005.

Location : Whisper Bay Condominiums, Lake James Lower Basin at Feick's Point

near Lake James, Pleasant Township, Steuben County SE¼, Section 9, T 37N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4616770 North, 663805 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20212

Lake : Sylvan Lake

Applicant : Mark and Karen Shaver

925 Lions Drive

Rome City, IN 46784-9659

Description : A concrete seawall will be refaced with a layer of concrete across approximately

48' of the applicant's 48' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans

received at the Division of Water on August 4, 2005.

Location : 925 Lions Drive

near Rome City, Orange Township, Noble County

SW1/4, SW1/4, Section 15, T 35N, R 10E, Kendallville Quadrangle

Quad Code: 4108543

UTM Coordinates: Downstream 4593667 North, 636727 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20214

Lake : Irish Lake

Applicant : Charles D Hunter

47 EMS B40A Lane

Leesburg, IN 46538-9432

Description : A concrete seawall will be refaced with a layer of concrete across the applicant's

frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of

Water on August 5, 2005.

Location : 47 EMS B40A Lane

near Leesburg, Tippecanoe Township, Kosciusko County

SE14, NE14, SE14, Section 20, T 33N, R 7E, North Webster Quadrangle

Quad Code: 4108536

UTM Coordinates: Downstream 4572416 North, 606260 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20215

Lake : Irish Lake

Applicant : Henry and Carolyn Wiggins

680 North Lake Shore Drive #1321

Chicago, IL 60611

Description : A concrete seawall will be refaced with a layer of concrete across of the

applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on August 5, 2005.

Location : 45 EMS B40A Lane

near Leesburg, Tippecanoe Township, Kosciusko County

SE14, NE14, SE14, Section 20, T 33N, R 7E, North Webster Quadrangle

Quad Code: 4108536

UTM Coordinates: Downstream 4572450 North, 606216 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20216

Lake : Winona Lake

Applicant : Ricky D Wallen

2514 Westwood Road

Winona Lake, IN 46590-1748

Description : A new seawall will be constructed across 218' of the 218' frontage of the applicant

along Winona Lake Lake to deter shoreline erosion. The wall will consist of concrete which will be sloped on the lakeward side. The lakeward face of the wall will be at legal shoreline. Details of the project are contained in information

received electronically at the Division of Water on August 9, 2005.

Location : Lot 38 Plat of Islewood Village; South side of Winona Lake, Snake Island.

near Winona Lake, Wayne Township, Kosciusko County

Section 21, T 32N, R 6E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20217

Lake : Lake James

Applicant : Gary M McCulloch

920 Lane 800 Snow Lake Fremont, IN 46737-8766

Description : A new underwater beach will be constructed in front of the property of the

applicant on Lake James to provide a suitable swimming area. The beach will consist of a 4 inch to 6 inch thick layer of 7/64 inch clean, washed pea gravel placed directly on the lakebed. The beach will begin approximately 18' west of the eastern property line and will extend westerly across 37.5' of the 75' frontage. It will have a maximum lakeward projection of 37.5' or a depth of 6' below the

average normal level of the lake. Details of the project are contained in

information received electronically at the Division of Water on August 9, 2005.

Location : 920 Lane 800 Snow Lake

at Angola, Jamestown Township, Steuben County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake